International Journal of Sustainable Science and Technology
Vol.4 No.1 (2026) pp. 6–11

Research Article

Relationship of Ehlers-Danlos Syndrome with High IQ: Analysis of Cases and Possibilities of Compensatory Factors

Fabiano de Abreu Agrela Rodrigues[1]*, Luiz Felipe Carvalho[2]

[1]Pós PhD em Neurociências - Califórnia University FCE,PhD em Neurociências - Universidad Azteca ,Mestre em Psicologia - European International University,Licenciado em Biologia - Universidade Faveni,Licenciado em História - Universidade Faveni Bacharel em Psicologia - Central Christian University,Castelo de Paiva - Aveiro - Portugal
* **Corresponding Author Email:** fabian2o@gmail.com- **ORCID:** 0000-0002-5207-0050

[2]Ortopedista e cirurgião, é mestre em neurociências, diretor de pesquisa de célula-tronco no CPAH e investigador no Department of Science and Technology at Logos University International. É membro da Academia Americana de Medicina Regenerativa (AABRM) e do grupo Latino Americano ORTHOREGEN
Email: lui2z@gmail.com- **ORCID:** 0000-0002-0047-1850

Abstract: Ehlers-Danlos syndrome (EDS) is a group of connective tissue disorders characterized by skin hyperelasticity , tissue fragility, and joint hyperextensibility . Although the medical literature has traditionally focused on the physical manifestations of EDS , investigationssuggest a possible correlation between EDS and above-average cognitive abilities according to the individual's genetic and environmental background , such as a high Intelligence Quotient (IQ). This dual case study explores the relationship between EDS and giftedness by examining the lives and experiences of two young women diagnosed with the hypermobile variant of EDS, both of whom presented high IQ scores and significant academic achievement despite the physical challenges imposed by the syndrome . In the first case, a 21-year-old woman with a robust family history of EDS presents comorbidities such as autism spectrum disorder and attention deficit , achieving IQ tests in the 98th and 99th percentiles. In the second case, a 20-year-old woman with no previous family history of EDS but with several associated comorbidities reports a perception of her intelligence as a compensatory mechanism developed in response to her physical limitations . This article analyzes how higher cognitive abilities can act as a compensatory factor in the management of EDS symptoms, potentially improving quality of life and providing adaptive strategies to cope with physical and psychological difficulties . Through these cases , we discuss the implications of these findings for the understanding of EDS and for the educational and social support needed for gifted individuals with complex medical conditions .

Keywords: Ehlers-Danlos syndrome; Giftedness, High IQ; Cognitive compensation; Connective tissue disorders; Adaptive capacities.

Received: *10 August 2026* **|** ***Revised:*** *28 Septeber 2026* **|** ***Accepted:*** *29 September 2026* **|** ***DOI:*** *10.22399/ijsusat.37*

1. Introduction

Ehlers-Danlos syndrome (EDS) is a heterogeneous group of genetic connective tissue disorders that manifest primarily as skin hyperelasticity, tissue fragility, and joint hyperextensibility. EDS variants range from milder forms to potentially debilitating conditions that affect multiple organ systems . This syndrome is characterized by a wide range of physical symptoms , including but not limited to joint pain, dysautonomia , and gastrointestinal problems, which can significantly impact the quality of life of affected individuals .

Giftedness is a cognitive phenomenon characterized by significantly superior performance in one or more areas of mental activity, often accompanied by an Intelligence Quotient (IQ) at the 98th percentile or higher. Diagnostic criteria for giftedness emphasize not only advanced cognitive abilities but also exceptional creativity and commitment to tasks that interest the individual .Literature has explored the intersections between chronic conditions and cognitive development, suggesting that, in some cases, ongoing physical challenges may catalyze

the development of higher cognitive abilities as a form of compensation . This review seeks to explore such correlation within the context of EDS, considering the possibility that individuals with this syndrome develop high intellectual capacities as an adaptive mechanism to their challenging physical and psychological context . Specifically, this article examines two case studies of young women with hypermobile EDS and high IQ levels to discuss the theory that giftedness may , in some contexts, act as a compensatory factor , contributing to greater resilience and ability to manage EDS symptoms.

Evidence

Ehlers-Danlos syndrome (EDS) is a group of connective tissue disorders characterized by skin hyperelasticity, tissue fragility, and joint hyperextensibility . We selected studies on the possible correlation between EDS and high cognitive abilities, suggesting that, in some cases, high IQ may act as a compensatory mechanism to face the physical challenges imposed by the syndrome .

1. **Psychological and Cognitive Impacts of SED** :
    - Ehlers -Danlos syndrome (EDS) is closely related to a diverse set of psychosocial disorders, ranging from anxiety and depression to interpersonal difficulties . Studies have shown that 68% of individuals diagnosed with EDS have a history of mental health service use , indicating a significantly high prevalence of psychological disorders in this population (Lumley et al . , 1994). The etiology of these psychological disorders appears to be strongly linked to the persistent chronic pain and substantial physical limitations inherent to the syndrome . Empirical data suggest that chronic pain and physical disabilities directly contribute to increased levels of anxiety, depression, and feelings of social isolation. These findings reinforce the need for integrated therapeutic approaches that consider both the physical and psychosocial aspects of EDS, highlighting the importance of specific psychological interventions to mitigate the negative impacts of the syndrome on patients' quality of life .

2. **Restricted Life and Social Stigma** :
    - Individuals diagnosed with Ehlers-Danlos Syndrome (EDS) often experience significantly restricted life outcomes as a result of a triad of factors: persistent fear of injury , chronic pain , and lack of knowledge about the disease (Berglund et al., 2000). The restrictions imposed by these conditions can severely compromise self-realization and full participation in daily activities. The literature indicates that these psychosocial barriers not only reduce quality of life but also contribute to a perception of reduced self-efficacy and social isolation. Qualitative studies reveal that patients with EDS report feelings of frustration and helplessness in social interactions and in the health system , exacerbating the difficulties associated with the syndrome (Berglund et al., 2000). These findings highlight the need for multidisciplinary interventions that integrate psychological support and strategies to manage pain and promote knowledge about the disease , thus aiming at a better quality of life and social inclusion of affected individuals .

1. **Neurological and Psychiatric Implications** :
    - Ehlers -Danlos syndrome (EDS) is frequently associated with a broad spectrum of psychiatric manifestations , including mood disorders, anxiety, and eating disorders (Ishiguro et al., 2022). Recent studies indicate a substantially high prevalence of these disorders among patients with EDS, suggesting a profound and multifaceted impact of the syndrome on mental health . Epidemiological data indicate that patients with EDS have a significantly higher risk of developing psychiatric disorders compared to the general population , which can be attributed to factors such as chronic pain , physical disabilities , and experiences of social stigmatization (Ishiguro et al., 2022). The scientific literature highlights the urgent need for integrated therapeutic approaches that address both the physical and mental aspects of EDS, emphasizing the importance of a comprehensive psychiatric assessment for effective clinical management (Ishiguro et al., 2022).

1. **Quality of Life and Adaptations** :
    - Chronic pain and other complications inherent to Ehlers - Danlos Syndrome (EDS) often result in significantly impaired quality of life (Voermans et al., 2010). Patients with EDS report elevated levels of musculoskeletal pain , which is often associated with significant impairment in daily functioning and the ongoing need for analgesic interventions (Voermans et al., 2010) .

2. **Adaptive Strategies and Cognitive Skills / Evidence of Compensatory Factors** :
    - The literature suggests that individuals with EDS can develop cognitive and behavioral strategies to cope with chronic pain and physical limitations , which may contribute to psychological adaptation and resilience (Niermeyer et al., 2021). Although there is no conclusive evidence that high cognitive abilities are a determining factor in adaptation to EDS , studies indicate that cognitive abilities can be used to formulate complex coping strategies (Bulbena et al., 2017). Pain management and quality of life of patients with EDS are influenced by a variety of factors, including coping strategies and psychosocial support (Voermans et al., 2010).

Although EDS poses significant physical and psychological challenges , higher cognitive abilities can act as a compensatory mechanism , improving quality of life and providing effective adaptive strategies .

2. Methodology

This study adopts a qualitative approach to explore the relationship between hypermobile Ehlers -Danlos syndrome (hEDS) and giftedness through the analysis of two detailed case studies. The cases were selected based on the simultaneous presence of hEDS and high IQ levels, allowing a focused investigation into the potential compensatory mechanism of cognitive development.

Case Study 1:

- **Participant Profile:** Female, 21 years old.
- **Clinical Features :** Diagnosis of hEDS, with a strong family history **of the** condition , including mother , grandmother , sister and aunt .
- **Health History :** Significant comorbidities including autism spectrum disorder (ASD), attention deficit hyperactivity disorder **(** ADHD **)** , and other sensory and motor challenges.

Case Study 2:

- **Participant Profile:** Female, 20 years old.
- **Clinical Features : Recent** diagnosis of **hEDS** at age 20, with no **known** family history of the condition .
- **Health History :** Presents comorbidities such as **celiac disease** and suspected other gastrointestinal and musculoskeletal conditions .

M is all of Data Collection:

- **Medical History Analysis : We collected and analyzed each participant's complete** medical records , focusing on diagnoses , treatments **,** and comorbidities.
- **IQ Tests:** Results from multiple IQ tests administered throughout the participants' lives, including WAIS-III and other relevant tests to assess general cognitive ability, were reviewed .
- Interviews **:** Semi -structured interviews were conducted with participants and, where possible , their families and educators, to gather information about their educational and social experiences. These interviews also explored how participants perceive their own intellectual development and how they cope with the challenges posed by SED.

The combination of these methods provides a rich and multifaceted understanding of how hEDS and giftedness interact in the lives of these individuals , allowing a detailed analysis of the potential compensatory mechanism that high IQ may represent in the context of significant physical challenges .

3. Results

Detailed case study findings reveal how hypermobile Ehlers-Danlos Syndrome (hEDS) impacts the daily lives of gifted individuals, highlighting the necessary adaptations and the possible compensatory role of high IQ . Each case provides a unique perspective on the interplay between physical challenges and cognitive resilience .

Case Study 1:

- **Impacts of EDS on Daily Life and Coping Strategies : The** participant experiences moderate chronic pain , which affects her mobility and ability to perform daily activities without assistance . She uses a Canadian cane for assistance and employs several management strategies , including medication (Risperidone, Bupropion, Clonazepam) and emotional and physical control practices , such as stretching and hot compresses.
- **Report of Giftedness : Evidenced** by consistently high scores on IQ tests, with percentiles between 98 and 99, reflecting exceptional cognitive ability that contrasts with the physical challenges faced .
- **Challenges and Adaptations in Academic and Personal Life : The participant completed her** undergraduate degree and is currently enrolled in a master's degree program. She describes significant difficulties in areas such as grammar and physical education due to the limitations imposed by the SED, but demonstrates excellence in mathematics and chemistry .

Case Study 2:

- **Severe Health Problems Associated with EDS and Its Adaptations : Luiza** faces several serious comorbidities, including celiac disease and suspected gastroparesis, which require a complex medication regimen and lifestyle adaptations . Difficulty performing manual activities and chronic pain have led to a gradual reduction in hobbies such as drawing and embroidery.
- **History of Variable Academic Performance and Participation in Gifted Programs:** Despite her uneven grades, Luiza **demonstrated** exceptional abilities in physics , arts, and robotics , and participated in international programs for the gifted, indicating formal recognition of her giftedness .
- **Perception of Intelligence as a Compensatory Mechanism :** Luiza perceives her superior intelligence as a means of compensating for her physical limitations **,** a crucial tool for developing adaptive strategies and maintaining a positive attitude in the face of the challenges imposed by SED.

These results illustrate how giftedness may act as a compensatory mechanism in individuals with hEDS, enabling them to adapt and thrive despite significant physical adversities . This analysis suggests that while EDS may impose severe limitations , high IQ may provide an effective means of mitigating some of the negative impacts on quality of life.

4. Discussion and Conclusion

4.1 Deeper Analysis of the Results:

The results of this study illustrate how individuals with hypermobile Ehlers -Danlos syndrome (hEDS) and giftedness may develop compensatory mechanisms that assist in managing their physical conditions . When comparing the two case studies, we observed that despite differences in family histories and symptom severity, both participants demonstrated high levels of IQ and academic achievement , suggesting that giftedness may serve as an important adaptive resource. These findings are consistent with existing literature suggesting a possible correlation between chronic physical challenges and higher cognitive development, although the exact nature of this relationship remains unclear . The hypothesis that high IQ may act as a compensatory mechanism for physical

limitations offers a promising explanation , but it is necessary to consider the individual and contextual complexities that influence this dynamic .

4.2 Study Limitations :

This study, being qualitative and focused on only two cases, faces significant limitations regarding the generalizability of the results . The choice of participants with very specific characteristics may not reflect the greater diversity of experiences of individuals with hEDS and giftedness . In addition , the interpretation of the data is subject to the subjectivity inherent in case studies. Future research should expand the sample and include complementary quantitative methods to validate and deepen the understandings proposed here.

4.3 Practical Implications :

The results of this study have direct implications for clinical and educational practice . It is essential that health professionals and educators are aware of the potential interactions between cognitive abilities and physical conditions such as hEDS . Personalized interventions that consider both the physical needs and intellectual abilities of these individuals can significantly improve their quality of life and academic performance . Adaptations in the educational environment, such as the provision of visual learning resources and adaptive study strategies, as well as emotional and psychological support , are recommended .

4.4 Final Considerations

The results of this study illustrate how individuals with hypermobile Ehlers -Danlos syndrome (hEDS) and giftedness can develop compensatory mechanisms that help them manage their physical conditions . When comparing the two case studies, we observed that despite differences in family histories and symptom severity, both participants demonstrated high levels of IQ and academic achievement . These findings suggest that giftedness may serve as an important adaptive resource. The hypothesis that high IQ may act as a compensatory mechanism for physical limitations offers a promising explanation, but it is necessary to consider the individual and contextual complexities that influence this dynamic .It is important to emphasize that we cannot say that people with Ehlers-Danlos Syndrome (EDS) have a high IQ, as this would not be true. The probability of people with EDS and a high IQ is equivalent to that of people with other conditions that end up reinforcing brain plasticity to compensate for the deficits of the condition . Genetic and environmental factors must be taken into account . High IQ can be seen as an additional "plus" to an individual's predestined IQ . Regarding the individual relationship , my suggestion is that , hypothetically , a person with IQ X derived from genetic and environmental factors , could have X+Y according to the condition and compensatory need . A hypothetical example would be a person with a genetic predisposition who could have a 20 - point increase in IQ derived from the compensatory system . This hypothesis illustrates the concept explored in this study.

4.5 Study Limitations

This study, being qualitative and focused on only two cases, faces significant limitations regarding the generalizability of the results. The choice of participants with very specific characteristics may not reflect the greater diversity of experiences of individuals with hEDS and giftedness . In addition , the interpretation of the data is subject to the subjectivity inherent in case studies. Future research should expand the sample and include complementary quantitative methods to validate and deepen the understandings proposed here.

4.6 Practical Implications

The results of this study have direct implications for clinical and educational practice . It is essential that health professionals and educators are aware of the potential interactions between cognitive abilities and physical conditions such as hEDS . Personalized interventions that consider both the physical needs and intellectual abilities

of these individuals can significantly improve their quality of life and academic performance . Adaptations in the educational environment, such as the provision of visual learning resources and adaptive study strategies, as well as emotional and psychological support , are recommended .

5. Conclusion

This study contributes to a more nuanced understanding of the relationship between hypermobile Ehlers -Danlos Syndrome and giftedness , suggesting that high IQ may act as a compensatory factor in the challenges faced by these individuals . Although limitations of the study design restrict the generalizability of the results, the findings point to the importance of holistic approaches in the treatment and education of individuals with complex conditions . Future research should expand on these findings by exploring more deeply the dynamics between different types of EDS and cognitive abilities, and developing intervention strategies that can help maximize the potential of these individuals

Author Statements:

- **Ethical approval:** The conducted research is not related to either human or animal use.
- **Conflict of interest:** The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper
- **Acknowledgement:** The authors declare that they have nobody or no-company to acknowledge.
- **Author contributions:** The authors declare that they have equal right on this paper.
- **Funding information:** The authors declare that there is no funding to be acknowledged.
- **Data availability statement:** The data that support the findings of this study are available on request from the corresponding author. The data are not publicly available due to privacy or ethical restrictions.

References

1. Lumley, M., Jordan, M., Rubenstein, R., Tsipouras, P., & Evans, M. (1994). Psychosocial functioning in the Ehlers-Danlos syndrome. **American Journal of Medical Genetics, 53**(2), 149-152. DOI: https://doi.org/10.1002/AJMG.1320530206.
2. Berglund, B., Nordström, G., & Lützén, K. (2000). Living a restricted life with Ehlers-Danlos syndrome (EDS). **International Journal of Nursing Studies, 37**(2), 111-118. DOI: https://doi.org/10.1016/S0020-7489(99)00067-X.
3. Ishiguro, H., Yagasaki, H., & Horiuchi, Y. (2022). Ehlers-Danlos Syndrome in the Field of Psychiatry: A Review. **Frontiers in Psychiatry, 12**, 803898. DOI: https://doi.org/10.3389/fpsyt.2021.803898.
4. Voermans, N., Knoop, H., Bleijenberg, G., & van Engelen, B. V. (2010). Pain in Ehlers-Danlos syndrome is common, severe, and associated with functional impairment. **Journal of Pain and Symptom Management, 40**(3), 370-378. DOI:https://doi.org/10.1016/j.jpainsymman.2009.12.026.
5. Bulbena, A., Baeza-Velasco, C., Bulbena-Cabré, A., Pailhez, G., Critchley, H., Chopra, P., Mallorquí-Bagué, N., Frank, C., & Porges, S. (2017). Psychiatric and psychological aspects in the Ehlers-Danlos syndromes. **American Journal of Medical Genetics Part C: Seminars in Medical Genetics, 175**(1), 237-245. DOI:https://doi.org/10.1002/ajmg.c.31544.
6. Niermeyer, M., Ball, D., Green, M., Jensen, B., Pace, L., Shingleton, R., Fawver, B., & Trapp, S. K. (2021). Interoceptive attention regulation in Ehlers-Danlos syndromes: associations between pain and psychiatric symptom severity. **Translational Behavioral Medicine**. DOI: https://doi.org/10.1093/tbm/ibab049.